

<b>STD</b>	<b>What to watch for?</b>	<b>How long do results take?</b>	<b>What's the treatment?</b>
<b>Chlamydia</b>	<ul style="list-style-type: none"> <li>• Symptoms show up 7-28 days after having sex.</li> <li>• It affects both men and women.</li> <li>• <b><u>Most women and some men have no symptoms.</u></b></li> <li><b>Women:</b> <ul style="list-style-type: none"> <li>• Discharge from the vagina.</li> <li>• Bleeding from the vagina between periods.</li> <li>• Burning or pain when you urinate.</li> <li>• Need to urinate more often.</li> <li>• Pain in abdomen, sometimes with fever and nausea.</li> </ul> </li> <li><b>Men:</b> <ul style="list-style-type: none"> <li>• Watery, white drip from the penis.</li> <li>• Burning or pain when you urinate.</li> <li>• Need to urinate more often.</li> <li>• Swollen or tender testicles.</li> </ul> </li> </ul>	2 weeks	<ul style="list-style-type: none"> <li>• Can be cured with antibiotic pills.</li> <li>• Partner(s) must be treated.</li> <li>• Wait 7 days after treatment to have sex.</li> </ul>
<b>Gonorrhea</b>	<ul style="list-style-type: none"> <li>• Symptoms show up 2-21 days after having sex.</li> <li>• It affects both men and women.</li> <li>• <b><u>Most women and some men have no symptoms.</u></b></li> <li><b>Women:</b> <ul style="list-style-type: none"> <li>• Thick yellow or gray discharge from the vagina.</li> <li>• Burning or pain when you urinate or have a bowel movement.</li> <li>• Abnormal periods or bleeding between periods.</li> <li>• Cramps and/or pain in the lower abdomen (belly).</li> </ul> </li> <li><b>Men:</b> <ul style="list-style-type: none"> <li>• Thick yellow or greenish drip from the penis.</li> <li>• Burning or pain when you urinate or have a bowel movement.</li> <li>• Need to urinate more often.</li> <li>• Swollen or tender testicles.</li> </ul> </li> </ul>	2 weeks	<ul style="list-style-type: none"> <li>• Can be cured with a shot and/or antibiotic pills.</li> <li>• Partner(s) must be treated.</li> <li>• Wait 7 days after treatment to have sex.</li> </ul>
<b>Herpes</b>	<ul style="list-style-type: none"> <li>• Symptoms show up 1-30 days or longer after having sex.</li> <li>• <b><u>Most people have no symptoms.</u></b></li> <li>• Flu-like feelings.</li> <li>• Small, painful blisters on the sex organs or mouth.</li> <li>• Itching or burning before the blisters appear.</li> <li>• Blisters last 1-3 weeks.</li> <li>• Blisters go away, but you still have herpes. Blisters can come back.</li> </ul>	1 week	<ul style="list-style-type: none"> <li>• No cure, but antiviral medicines can make sores heal more quickly.</li> <li>• Talk with your provider about how to have safer sex.</li> </ul>

<p><b>HPV/Genital Warts</b></p>	<ul style="list-style-type: none"> <li>• Symptoms show up weeks, months or years after contact with HPV.</li> <li>• <b><u>Many people have no symptoms.</u></b></li> <li>• Some types cause genital warts: <ul style="list-style-type: none"> <li>➢ Small, bumpy warts on the sex organs and anus.</li> <li>➢ Itching or burning around the sex organs.</li> <li>➢ After warts go away, the virus sometimes stays in the body. The warts can come back.</li> </ul> </li> <li>• Some types cause cervical cancer in women.</li> </ul>	<p>Immediate</p>	<ul style="list-style-type: none"> <li>• No cure, but warts can be treated.</li> <li>• Untreated warts may go away on their own, remain unchanged or grow and spread.</li> <li>• Warts can be removed with liquid medicine, frozen, burned off or removed surgically.</li> <li>• Cell changes can be watched and removed before becoming cancerous.</li> <li>• Talk with your provider about how to have safer sex.</li> </ul>
<p><b>HIV/AIDS</b></p>	<ul style="list-style-type: none"> <li>• Symptoms show up several months to several years after contact with HIV, the virus that causes AIDS.</li> <li>• <b><u>Can be present for many years with no symptoms.</u></b></li> <li>• Unexplained weight loss or tiredness.</li> <li>• Flu-like feelings that do not go away.</li> <li>• Diarrhea.</li> <li>• White spots in mouth.</li> <li>• In women, yeast infections that do not go away.</li> </ul>	<ul style="list-style-type: none"> <li>• Same day for oral swab.</li> <li>• 2 weeks for blood draw.</li> </ul>	<ul style="list-style-type: none"> <li>• No cure, but medicines can help people with HIV stay healthy.</li> <li>• Talk with your provider about how to have safer sex.</li> </ul>
<p><b>Hepatitis B</b></p>	<ul style="list-style-type: none"> <li>• Symptoms show up 1-9 months after contact with the hepatitis B virus.</li> <li>• <b><u>Many people have no symptoms or mild symptoms.</u></b></li> <li>• Flu-like feelings that do not go away.</li> <li>• Tiredness.</li> <li>• Jaundice (yellow skin).</li> <li>• Dark urine, light-colored bowel movements.</li> </ul>	<p>2 weeks</p>	<ul style="list-style-type: none"> <li>• Some people get well with no treatment.</li> <li>• Some get chronic hepatitis B.</li> <li>• No cure for chronic hepatitis B, but medicines may prevent severe liver disease.</li> <li>• Talk with your provider about how to have safer sex.</li> </ul>
<p><b>Syphilis</b></p>	<p><b>1<sup>st</sup> Stage:</b></p> <ul style="list-style-type: none"> <li>• Symptoms show up 1-12 weeks after having sex.</li> <li>• A painless sore or sores on the mouth or sex organs.</li> <li>• Sore lasts 2-6 weeks.</li> <li>• Sore goes away, but you still have syphilis.</li> </ul> <p><b>2<sup>nd</sup> Stage:</b></p> <ul style="list-style-type: none"> <li>• Symptoms show up as the sore heals or after.</li> <li>• A rash anywhere on the body.</li> <li>• Flu-like feelings.</li> <li>• Rash and flu-like feelings go away, but you still have syphilis.</li> </ul>	<p>2 weeks</p>	<ul style="list-style-type: none"> <li>• Can be cured with a shot and/or antibiotic pills.</li> <li>• Partner(s) must be treated.</li> <li>• Wait 7 days after treatment to have sex or until sores are completely healed/gone.</li> </ul>
<p><b>Trichomoniasis (“Trich”)</b> <i>Female testing only (at our clinic)</i></p>	<ul style="list-style-type: none"> <li>• Symptoms show up 5-28 days after having sex.</li> <li>• <b><u>Many people have no symptoms.</u></b></li> <li>• Affects both men and women.</li> <li>• Itching, burning or irritation in the vagina.</li> <li>• Yellow, greenish or gray discharge from the vagina.</li> </ul>	<p>Same day</p>	<ul style="list-style-type: none"> <li>• Can be cured with antibiotic pills.</li> <li>• Partner(s) must be treated.</li> <li>• Wait 7 days after treatment to have sex.</li> </ul>