



NATULAR® G

Mosquito Larvicide Granule

Controls larvae of mosquitoes which may transmit Zika, Dengue, or Chikungunya.
To be used in governmental mosquito control programs, by professional pest control operators, or in other mosquito or midge control operations.

Active Ingredient:	
Spinosad (a mixture of Spinosyn A and Spinosyn D)	0.5%
Other Ingredients	99.5%
Total	100.0%

Group

5

INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

Precautionary Statements

Environmental Hazards

This product is toxic to aquatic invertebrates. Non-target aquatic invertebrates may be killed in water where this pesticide is used. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply when weather conditions favor drift from treated areas. Drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on the label.

Directions For Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Read all Directions for Use carefully before applying.

Product Information

NATULAR® G is a product for killing mosquito and midge larvae. This product's active ingredient, spinosad, is biologically derived from the fermentation of *Saccharopolyspora spinosa*, a naturally occurring soil organism. NATULAR® G may be applied with suitable ground or aerial application equipment.

Use Precautions

Integrated Pest Management (IPM) Programs

NATULAR® G is intended to kill mosquito and midge larvae. Mosquitoes are best controlled when an IPM program is followed. Larval control efforts should be managed through habitat mapping, active adult and larval surveillance, and integrated with other control strategies such as source reduction, public education programs, harborage or barrier adult mosquito control applications, and targeted adulticide applications.

Insecticide Resistance Management (IRM)

NATULAR® G contains a Group 5 insecticide. Insect biotypes with acquired resistance to Group 5 insecticides may eventually dominate the insect population if appropriate resistance management strategies are not followed. Currently, only spinetoram and spinosad active ingredients are classified as Group 5 insecticides. Resistance to other insecticide groups is not likely to impact the effectiveness of this product. Spinosad may be used in rotation with all other labeled products in a comprehensive IRM program.

To minimize the potential for resistance development, the following practices are recommended:

- Base insecticide use on comprehensive IPM and IRM programs.
- Routinely evaluate applications for loss of effectiveness.

- Rotate with other labeled effective mosquito larvicides that have a different mode of action.
- In dormant rice fields, standing water within agricultural/crop sites, and permanent marine and freshwater sites, do not make more than 20 applications per year.
- Use insecticides with a different mode of action (different insecticide group) on adult mosquitoes so that both larvae and adults are not exposed to products with the same mode of action.
- Contact your local extension specialist, technical advisor, and/or Clarke representative for insecticide resistance management and/or IPM recommendations for the specific site and resistant pest problems.
- For further information or to report suspected resistance, you may contact your local Clarke representative by calling 800-323-5727.

Spray Drift Management

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determines the potential for spray drift. The applicator is responsible for considering all these factors when making decisions. Where states have more stringent regulations, they should be observed.

Application

Proper application techniques help ensure adequate coverage and correct dosage necessary to obtain optimum kill of mosquito and midge larvae. Apply NATULAR® G prior to flooding as a pre-hatch application to areas that breed mosquitoes, or at any stage of larval development after flooding in listed sites. The following recommendations are provided for ground and aerial application of NATULAR® G.

Ground Application

Use conventional ground application equipment and apply NATULAR® G at the designated rate for the targeted site.

Spot Treatment

Apply NATULAR® G as a spot treatment to areas where mosquitoes are breeding at rates appropriate for the treatment site habitat and conditions.

Aerial Application

Equipment used in the application of NATULAR® G should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase NATULAR® G dosage above recommended limits.

Application Sites and Rates

The rates listed are typical for efficaciously killing mosquito and midge larvae in the listed habitat sites. Within this range, use lower rates when water is shallow, vegetation and/or pollution are minimal, and mosquito populations are low. Do not use less than labeled minimum rate. NATULAR® G may be applied at rates up to 20 lb per acre in waters high in organic content (such as polluted water, sewage lagoons, animal waste lagoons, and waters with high concentrations of leaf litter or other organic debris), deep-water mosquito habitats or those with dense surface cover, and where monitoring indicates a lack of kill at typical rates. Do not re-apply within 7 days of the initial application unless monitoring indicates that larval populations have reestablished or weather conditions have rendered initial treatments ineffective. Do not apply to water intended for irrigation.

For killing mosquito larvae species in the following non-crop sites:

Non-Crop Site	NATULAR® G lb/acre (lb ai/acre)
<p>Temporary Standing Water: Woodland pools, snow pools, roadside ditches, retention ponds, freshwater dredge spoils, tire tracks and other natural or man-made depressions, rock holes, pot holes and similar areas subject to holding water</p> <p>Other Freshwater Sites: Natural and manmade aquatic sites, edges of lakes, ponds, canals, stream eddies, creek edges, detention ponds</p>	<p>3.5 - 6.5 (0.018 - 0.033)</p>
<p>Freshwater Swamps and Marshes: Mixed hardwood swamps, cattail marsh, common reed wetland, water hyacinth ponds, and similar freshwater areas with emergent vegetation</p> <p>Marine/Coastal Areas: Intertidal areas above the mean high water mark, mangroves, brackish water swamps and marshes, coastal impoundments and similar areas</p>	<p>9 (0.045)</p>
<p>Stormwater/Drainage Systems: Storm sewers, catch basins, drainage ditches, and similar areas</p> <p>Wastewater: Sewage effluent, sewers, sewage lagoons, cesspools, oxidation ponds, septic ditches and tanks, animal waste lagoons and settling ponds, livestock runoff lagoons, wastewater impoundments associated with fruit and vegetable processing, and similar areas</p>	<p>6.5 - 9 (0.033 - 0.045)</p>
<p>Dormant Rice Fields: Impounded water in dormant rice fields (for application only during the interval between harvest and preparation of the field for the next cropping cycle)</p>	<p>3.5 - 6.5 (0.018 - 0.033)</p>
<p>Natural and Artificial Containers: Tree holes, bromeliads, leaf axils, and other similar natural water holding containers, cemetery urns, bird baths, flower pots, rain barrels, buckets, single tires, tires stockpiled in dumps, landfills, recycling plants and other similar areas, abandoned swimming pools, ornamental ponds, flooded roof tops and similar water holding sites.</p> <p>Landfill containers, salvage yards, abandoned vehicles</p> <p>Do not apply to natural or artificial containers of water intended for consumption by people, animals, or livestock.</p>	<p>3.5 - 9 (0.018 - 0.045)</p> <p>For small to medium size containers, apply 1/8 teaspoon (about 0.37 g) of Natular G per 10-20 gallons of water.</p> <p>For very small containers, apply a pinch of Natular G (0.02 g) per ½ - 1 gallon of water. This is approximately 7 - 9 granules per ½ - 1 gallon of water.</p>

Agricultural/Crop Sites Where Mosquito Breeding Occurs:

Apply NATULAR® G at the rate of 3.5 to 9 lb per acre in standing water within agricultural/crop sites where mosquito breeding occurs: pastures/hay fields, rangelands, orchards, vineyards, and citrus groves. Do not apply to waters intended for irrigation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material with absorbent materials and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site according to label use directions or at an approved waste disposal facility.

Container Handling for Non-Refillable Bag: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Container Handling for Rigid Refillable Tote: Refillable container. Refill this container with granular spinosad pesticide formulation only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment. Use a sprayer with water to quickly and completely rinse the interior of the container. Ensure the top, bottom, and all sides are rinsed. A high pressure sprayer with a rinsing nozzle could provide a thorough rinse of the interior. Drain and collect rinsate from the container into a collection system for later disposal. Drain the container dry so no water remains. Return to point of sale. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by State and local authorities.

Warranty

To the extent consistent with applicable law CLARKE MOSQUITO CONTROL PRODUCTS, INC. makes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use/handling of this material when use and/or handling is contrary to label instructions.

Natular® is a Registered Trademark of Clarke Mosquito Control Products, Inc.

IN CASE OF MEDICAL EMERGENCY, CALL THE INTERNATIONAL POISON CONTROL CENTER 1-800-214-7753

Manufactured By:
CLARKE MOSQUITO CONTROL PRODUCTS, INC.
159 North Garden Avenue
Roselle, IL 60172, U.S.A.
1-800-323-5727

EPA Reg. No.: 8329-80 NET WEIGHT: _____

EPA Est. No.: LOT: _____



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 1 of 7

SECTION 1. Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Formulation Identifier: Natular® G

EPA Registration Number: 8329-80

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses: Insecticide for control of mosquito and midge larvae

Uses Advised Against: See product label for use restrictions

1.3 Details of the Supplier of the Safety Data Sheet

Clarke Mosquito Control Products, Inc.

675 Sidwell Court

St. Charles, IL 60174 U.S.A.

+1 (630) 894-2000

Email: Clarke@clarke.com

1.4 Emergency Telephone Number

24-Hour Medical Emergency: POISON CONTROL Toll-free (800) 214 – 7753

24-Hour Transportation Emergency: INFOTRAC (800) 535-5053

SECTION 2. Hazards identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS (2012)

2.2 Classification of the Substance or Mixture

Acute Toxicity (Inhalation): Category 4

Pictogram:



Signal Word: Warning

Hazard statements: Harmful if inhaled

Precautionary Statements: PREVENTION: Avoid breathing dust. Use only outdoors or in a well-ventilated area.

RESPONSE: If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a poison center or doctor if you feel unwell.

2.3 Other Hazards Not Classifiable Under OSHA 2012 HCS

See product label for any additional hazards

SECTION 3. Composition/Information on Ingredients



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 2 of 7

3.1 Components

Substance Name	CAS No.	Concentration % w/w
Spinosad:		0.5
Spinosyn A	131929-60-7	
Spinosyn D	131929-63-0	
Granulated Corncob	None Assigned	> 95

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

SECTION 4. First Aid Measures

4.1 Description of First Aid Measures

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed.

Inhalation: This product may release nuisance dust in handling or use. Exposure to dusts from this product may irritate the nose, throat, and upper respiratory tract. Prolonged exposure may result in mild salicylate intoxication which can cause symptoms including headache, dizziness, ringing in the ears, difficulty in hearing, dimness of vision, mental confusion, lassitude, sweating, thirst, hyperventilation, nausea, vomiting, and occasionally diarrhea.

4.3 Indication of Immediate Medical Attention and Special Treatment

Treatment: Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. For medical treatment information, contact the poison control hotline at 1-800-214-7753. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. Fire-Fighting Measures

5.1 Extinguishing Media

Suitable Extinguishing Media: Water Fog, Carbon Dioxide (CO₂), Dry Chemical, Foam

Unsuitable Extinguishing Media: None known

5.2 Special Hazards Arising From the Substance or Mixture

Specific Hazards: Under fire conditions some components may decompose. Combustion products may include CO and NO_x.

5.3 Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: Wear positive pressure, self-contained breathing apparatus and protective firefighting clothing (includes fire-fighting helmet, coat, pants, boots, and gloves).

Special Procedures: Fight fires from a protected location. Dike fire control water for later disposal. Keep container cool by spraying with water.

SECTION 6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

General Precautions: Use appropriate protection (see section 8)

Environmental Precautions: Prevent product from entering into drains and waterways. Collect and dispose of this material and its container in accordance with national and regional regulations. If the



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 3 of 7

product has contaminated surface water, inform the appropriate authorities. See Section 12 for additional ecological information.

6.2 Methods and Material for Containment and Cleaning Up

Clean Up Methods: Collect all material with shovel or other instrument while using appropriate personal protection equipment, and place in closable marked containers. Use non-reactive absorbent to absorb small spills of rinsate and collect for disposal

SECTION 7. Handling and Storage

7.1 Precautions for Safe Handling

Handling: Keep out of reach of children. Do not take internally. Avoid inhalation of dusts from product.

Hygiene Measures: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated place in the original container. Protect from excessive heat and cold. Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilizers. Keep out of reach of children.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

8.1 Control Parameters

Component Name	CAS No.	List	Type	Value
Spinosyn A & Spinosyn D	131929-60-7 131929-63-0	DOW IHG	TWA	0.3 mg/m ³
Granulated Corncob	None Assigned	OSHA	PEL	15 mg/m ³ (total)
				5 mg/m ³ (respirable)
		ACGIH	TLV	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

8.2 Exposure controls

Engineering Controls: Use with adequate ventilation. Wash hands thoroughly after handling. Wash clothing before re-using.

Individual Protection Measures, such as Personal Protection Equipment:

Eye Protection: Safety Glasses, Goggles or Face Shield

Skin Protection: Wear suitable protective clothing

Hand Protection: It is good industrial hygiene practice to minimize skin contact. If required or preferred, use suitable protective chemical resistant gloves such as nitrile, butyl rubber, or neoprene.

Respiratory Protection: A respirator is not required for normal use of this product. If needed or preferred, use suitable respiratory equipment such as a NIOSH standard N-95 respirator or dust mask.

SECTION 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance: Solid, Granule

Color: Yellow / Tan

Odor: Orange fruity scent



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 4 of 7

Odor Threshold:	Not Available
pH:	7.50
Melting Point:	Not Determined
Freezing Point:	Not Applicable
Initial Boiling Point:	Not Applicable
Flash Point:	Not Determined
Evaporation Rate:	Not Applicable
Flammability:	Not Determined
Explosion limits [U/L]:	Not Applicable
Vapor Pressure:	Not Applicable
Vapor Density:	Not Applicable
Relative Density:	0.552 g/mL
Solubility:	Not Determined
Partition Coefficient:	Not Determined
Auto-Ignition Temperature:	Not Determined
Viscosity:	Not Applicable
Decomposition Temperature:	Not Available
Explosive Properties:	Not Available
Oxidizing Properties:	Not Available

SECTION 10. Stability and Reactivity

10.1 Reactivity

Not Available

10.2 Chemical Stability

Stable under normal conditions

10.3 Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Not known to occur

10.4 Conditions to Avoid

Protect from direct sunlight and excessive heat.

10.5 Incompatible Materials

Avoid contact with strong oxidizing agents, strong acids, strong bases

10.6 Hazardous Decomposition Products

None known under normal conditions of storage and use

SECTION 11. Toxicological Information

11.1 Information on Likely Routes of Exposure

Inhalation: This product may release nuisance dust in handling or use. Exposure to dusts from this product may irritate the nose, throat, and upper respiratory tract.

11.2 Information on Toxicological Effects



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 5 of 7

Acute Toxicity/Effects

Oral, Rat LD ₅₀ :	> 5,000 mg/kg-bw
Dermal, Rat LD ₅₀ :	> 5,000 mg/kg-bw
Inhalation, Rat LC ₅₀ :	> 2.10 mg/L
Skin Corrosion/Irritation:	Natular® G is not a skin irritant
Serious Eye Damage/Irritation:	Natular® G is not classified as an eye irritant according the OSHA 2012 HCS.
Skin Sensitization:	Natular® G is not a skin sensitizer
STOT – Single exposure	No data is available to indicate product or any components present at greater than 0.1% present a specific target organ toxicity hazard from single exposure.

Chronic Toxicity/Effects

Germ Cell Mutagenicity	This product has not been tested. No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Spinosad is not mutagenic.
Carcinogenicity:	This product does not contain any carcinogens as listed by OSHA, IARC, or NTP. Spinosad is not carcinogenic.
Reproductive Effects:	No data is available to indicate product or any components present at greater than 0.1% cause reproductive or teratogenic toxicity. For Spinosad: in laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.
STOT – Repeated Exposure:	In animals, spinosad has been shown to cause vacuolation of cells in various tissues. Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.
Additional Information:	Prolonged exposure to vapors or dust may result in mild salicylate intoxication which can cause symptoms including headache, dizziness, ringing in the ears, difficulty in hearing, dimness of vision, mental confusion, lassitude, sweating, thirst, hyperventilation, nausea, vomiting, and occasionally diarrhea.

SECTION 12. Ecological Information

12.1 Ecotoxicity

Product specific data is not available. Data referenced is in relation to the active ingredient, Spinosad. Spinosad is moderately toxic to aquatic organisms on an acute basis (LC₅₀/EC₅₀ between 1 and 10 mg/L in the most sensitive species tested).

Toxicity to Fish:	96-hr Acute LC ₅₀ 5.0 mg/L, Common Carp (<i>Cyprinus carpio</i>) 96-hr Acute LC ₅₀ 5.9 mg/L, Bluegill Sunfish (<i>Lepomis macrochirus</i>) 96-hr Acute LC ₅₀ 30 mg/L, Rainbow Trout (<i>Oncorhynchus mykiss</i>)
Toxicity to Aquatic Invertebrates:	48-hr Acute EC ₅₀ 1.5-14.0 mg/L, Water Flea (<i>Daphnia magna</i>) 48-hr LC ₅₀ > 7.9 mg/L, Mysid Shrimp (<i>Americamysis bahia</i>)
Toxicity to Aquatic Plants:	5-d EC ₅₀ 8.1 mg/L, Blue Green Algae (<i>Anabaena flos-aquae</i>)

12.1 Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredient, Spinosad.

Log K _{ow} :	Spinosyn A: 3.91; Spinosyn D: 4.38 (distilled water)
Bioaccumulation:	Bioconcentration potential is low (BCF < 100)



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 6 of 7

Bioconcentration Factor: Spinosyn A: 19; Spinosyn D: 33 mL/g (fish)
Mobility in Soil: Potential for mobility in soil is low (K_{oc} between 500 and 2000)
Partition Coefficient, K_{oc} : 701

SECTION 13. Disposal Considerations

13.1 Waste Treatment and Disposal methods

Consult product label for disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of the Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

SECTION 14. Transport Information

14.1 DOT (US)

Not regulated (Bulk and Non-Bulk Quantities)

14.2 IMDG (Vessel)

UN Number: 3077
Hazard Class: 9
Packing Group: III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (Spinosad)
Marine Pollutant: Yes

14.3 ICAO/IATA (Air transport)

UN Number: 3077
Hazard Class: 9
Packing Group: III
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (Spinosad)
Environmental Hazard: Yes

SECTION 15. Regulatory Information

FIFRA Information: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word: CAUTION

Keep Out of Reach of Children

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes moderate eye irritation.

Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with warm water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-214-7753 for emergency medical treatment information.

Other Federal Regulations

SARA TITLE III CLASSIFICATION

Section 302: None



SAFETY DATA SHEET

NATULAR® G

Effective Date: 14 February 2017

v.02

Page 7 of 7

Section 311/312: Immediate (acute) hazard

Section 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

None

CERCLA RQ: None

OSHA HAZARD COMMUNICATION STANDARD: This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. California Proposition 65: Not listed

STATE RIGHT-TO-KNOW : National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

SECTION 16. Other Information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

© NATULAR is a Registered Trademark of Clarke Mosquito Control Products, Inc.

End of document